



CERAFILO
— O V E R S E A S —

ECLIPSIA SERIES
S E R I E S

9mm // Thickness

Size // 1200x1800mm



Surface Intro

03/04

Product Showcase

05/06

Technical Specification

07

Index

10

Collection

13

The Story of your ***Stone Begins Here***

Stone Granito, a renowned name in the world of Glazed Vittrified Tiles (GVT). We are committed to delivering excellence through innovative tile solutions that transform spaces into modern masterpieces. With a strong foundation in tile manufacturing, we bring together cutting-edge technology, superior craftsmanship, and aesthetic brilliance to meet the ever-evolving demands of the global market.



Fall. **Feel.** Fascinate.





the foremost name in luxury surfaces. Seamlessly integrating architectural concepts with refined design principles, Stone sets trends through its exceptional product range, exquisite craftsmanship, and meticulous technical precision.

Proudly crafted with the essence of Italian design excellence, Stone embodies sophistication in every detail.

Stone More now represents the perfect balance of technology, minimalism, and quality — offering the ability to adapt effortlessly to every customer's choices in both style and, above all, lifestyle.

ECLIPSIA MATT

S E R I E S

1200x
1800mm
Matt
Finish



Technical Specification



Low Water
Absorption



Zero
Maintenance



Frost
Resistance



Abrasion
Resistance



Chemical
Resistance



Thermal
Shock Resistance



Stain
Resistance



Flexural
Strength





Touch Of *Elegance*

Stone — the foremost name in luxury surfaces. Seamlessly integrating architectural concepts with refined design principles, Stone sets trends through its exceptional product range, exquisite craftsmanship, and meticulous technical precision.


Proudly crafted with the essence of Italian design excellence, Stone embodies sophistication in every detail.

Stone More now represents the perfect balance of technology, minimalism, and quality — offering the ability to adapt effortlessly to every customer's choices in both style and, above all, lifestyle.





SOFTONE CHAMPAGNE



SOFTONE CHEESE



SOFTONE COCOA



SOFTONE MUSHROOM



SOFTONE PEPPER



SOFTONE SALT



CEMENTA BIANCO



CEMENTA DOVE



CEMENTA GREY



KONE CAMEL



KONE CAMEL LIGHT



KONE WHITE



LINGTONE BEIGE



LINGTONE BEIGE LIGHT




LINGTONE FOSSIL



LINGTONE FOSSIL LIGHT




OXIDO BEIGE




OXIDO BEIGE LIGHT



Explore **ECLIPSIA MATT** Series in 1200x1800mm, blending timeless elegance, durability, and subtle charm for modern interiors.



AVAILABLE **COLOR**




SOFTONE CHAMPAGNE

SOFTONE CHEESE


SOFTONE COCOA



SOFTONE
CHAMPAGNE




Random 03	Matt Finish	Size 1200x1800mm
--------------	----------------	---------------------





AVAILABLE COLOR




SOFTONE MUSHROOM

SOFTONE PEPPER


SOFTONE SALT



SOFTONE
MUSHROOM



Random 03 | Matt Finish | Size 1200x1800mm





AVAILABLE **COLOR**



CEMENTA BIANCO





CEMENTA DOVE



CEMENTA GREY




CEMENTA
BIANCO



Random
03


Matt
Finish

Size
1200x1800mm






AVAILABLE COLOR




KONE WHITE KONE CAMEL KONE CAMEL LIGHT



KONE WHITE



Random 03 Matt Finish Size 1200x1800mm






AVAILABLE COLOR



LINGTONE FOSSIL LIGHT



LINGTONE FOSSIL



LINGTONE BEIGE LIGHT




LINGTONE BEIGE



LINGTONE FOSSI LIGHT




Random 03 | Matt Finish | Size 1200x1800mm





AVAILABLE COLOR




OXIDO BEIGE



OXIDO BEIGE






OXIDO GREY




OXIDO GREY LIGHT



OXIDO BEIGE



Random 03 | Matt Finish | Size 1200x1800mm





Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF PGVT	MEAN VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.15 %	±0.15 %	ISO-10545-2
Rectangularity	±0.6 %	±0.2 %	±0.2 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	Slight variation is possible due to different batches as per signed samples	Slight variation is possible due to different batches as per signed samples	ISO-10545-16
Glossiness	As per mfg	Sharp	Sharp	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.5 %	< 0.5 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.28 gm/mm²	> 2.28 gm/mm²	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm²	Min. 35 N/mm²	Min. 35 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 4000 N	Min. 4000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	0.1 (mm/3)	0.1 (mm/3)	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	Max. 6.5 x 10-6	ISO-10545-8
Crazing resistance	As per mfg	Min. 7 Cycle	Min. 7 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
	As per mfg			ISO-10545-15
Lead & Cadmium given off by glazed tiles		Does not yield Pb & Cd	Does not yield Pb & Cd	

Packing Details

Size	Thickness (approx.)	Pieces / Box	Area / Box		Wt./Box (approx.)
1200x1800mm	9mm	2 pcs.	4.32 sq. mtr.	46.50 sq. ft.	90* kgs.
1200x1800mm	15mm	1 pcs.	2.16 sq. mtr.	23.25 sq. ft.	75* kgs.

